

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

JU-IL LEE

Serial No.:

10/073,898

Examiner:

to be assigned

Filed:

14 February 2002

Art Unit:

2652

For:

APPARATUS AND METHOD FOR PERFORMING SEEK-SERVO ROUTINE OF

HARD DISK DRIVE

# **INFORMATION DISCLOSURE STATEMENT**

RECEIVED

Assistant Commissioner for Patents Washington, D.C. 20231 MAY 0 6 2003

Technology Center 2000

Sir:

Pursuant to 37 C.F.R. §§ 1.56, and 1.97 and 1.98 applicant cites, lists, and discusses and encloses copies of the following art references cited in a Notice to Submit Response from the Korean Industrial Property Office issued on the 28<sup>th</sup> of March 2003 in corresponding Korean priority application No. 10-2001-0008999. ::

### **FOREIGN PATENT REFERENCE:**

Publication No. Inventor Published Date

JP 02-304777 Hibino *et al.* 

18 December 1990

"Controller For Magnetic Disk Device"

and English language Abstract for Hei 02-304777.

KR 1991-15989

Hasegawa et al.

30 September 1991

"Method For Controlling The Determination Of Converter's Location" and English language Abstract for KR 1991-15989.

### **OTHER DOCUMENTS:**

Notice to Submit Response issued by the Korean Industrial Property Office on the 28th of March 2003 in Applicant's corresponding Korean priority application No. 10-2001-0008999 filed on the 22nd of February 2001, titled Apparatus and method for performing seek-servo routine of hard disk drive, and English language translation of the Notice to Submit Response.

### **DISCUSSION**

In the *Notice To Submit Response* issued by the Korean Intellectual Property office on the 28<sup>th</sup> of March 2003, the Korean Examiner asserted that "Japanese Patent Publication No. hei 02-304777 (published 18 December 1990) discloses "a method for controlling a magnetic disk apparatus so as to locate a magnetic head apparatus at a target track", and Korean Patent Laid-open Publication No. 1991-15989 (published 30 September 1991) discloses "a method for controlling the determination of a converter's location by calculating a target position, target velocity, and the target acceleration every sampling period using a multinomial expression and placing a target object at a predetermined location based upon the target position, the target velocity, and the target acceleration."

As explained in the Korean Patent Abstract of Korean laid-open patent publication No. 1991-

PATENT P56604

15989, the "target position, a target velocity, and a target acceleration are expressed by a time-

consuming multinominal expression based upon acceleration and deceleration patterns capable of

minimizing the square of a differentiated value of acceleration of the target object."

Hibino JP 2304777 describes a "value calculation circuit 16 [that] forecasts the position of

the next sample time by using the position of the present sample time, namely, a track number,

velocity and acceleration and prepares a decided value and the forecasted value and decided value

of the position are stored in a forecasted value and decided value storing circuit 17 after one time."

The citation of forgoing references is not tended to constitute representation to the Examiner

that a search of the prior art has been made by the Applicant. Accordingly, the U.S. Examiner is

requested to make a thorough and wide-ranging search of the prior art during the examination.

Pursuant to 37 C.F.R. § 1.97 (c)(1), each item of information contained in this Information

Disclosure Statement was first cited in any communication from a foreign patent office in a

counterpart foreign application not more than three (3) months prior to the filling of this Information

Disclosure Statement.

No fee is incurred by filing this Information Disclosure Statement.

Respectfully submitted,

Robert E. Bushnell

Reg. No.: 27,774

1522 "K" Street, N.W., Suite 300 Washington, D.C. 20005 Area Code: 202-408-9040

Folio: P56604 Date: 5 May 2003 I.D.: REB/asc